CARDIOVASCULAR DISEASE RISK FACTOR ESTIMATE Golding 1989

Name_____

DATE_____

					-		
1. Age	10-20 yrs 1	21-30 yrs 2	31-40 yrs 3	41-50 yrs 4	51-60 yrs 6	>60 yrs 8	Score
2. Heredity: Parents and	No family history	One with CVD over age 60	Two with CVD over age 60	One death from VCD under age	Two deaths from CVD under	Three deaths from CVD under	
siblings	of CVD 1	2	3	60 4	age 60 6	age 60 7	
3.Weight	More than 5 lbs	-5 to +5lbs of	5 to 20lbs	21-35lbs	35-50lbs	51-65 lbs	
Refer to table	below standard	standard weight	overweight	overweight	overweight	overweight	
1 Below	weight 0	1	2	3	5	7	
4. Tobacco	Nonuser	Occasional cigar	cigarettes/day	cigarettes/day	Cigarettes/day	Cigarettes/day	
Use	0	or pipe 1	10 or less 2	11-20 4	21-30 6	Over 30 10	
5. EXERCISE	Intense job and	Moderate job	Sedentary job	Sed. Job and	Sedentary job	Sedentary job, no	
	recreational 0	and rec. 1	intense rec. 2	mod. Rec. 4	and light Rec.	exercise	
	-				6	8	
6. Cholesterol	Low fat diet, no	Below avg fat &	Normal fat and	High-fat, normal	High fat &sugar	Excessive fat &	
& Triglycerides	sugar O	sugar intake 2	sugar intake 3	sugar intake 5	intake 6	sugar intake 10	
7. Systolic	<111 mmHg	111-130 mmHg	131-140 mmHg	141-160 mmHg	161-180 mmHg	Above 180 mmHg	
blood pressure	0	1	2	3	5	7	
8.Diastolic	< 80 mmHg	80-85 mmHg	86-90 mmHg	91-95 mmHg	96-100 mmHg	Above 100 mmHg	
Blood pressure	0	1	2	4	7	9	
9.Gender	Female less	Female	Female	Male	Male (paunchy)	Male (obese)	
	than 40 yrs. 1	40-50 yrs. 2	>50 yrs. 4	5	6	7	
10.Resting M	< 56	57-64	65-70	71-77	78-81	≥82	
heart rate F	<65 1	66-70 2	71-75 3	76-82 4	83-86 5	≥87 7	
11.Stress	No stress	Occasional mild	Frequent mild	Frequent mod	Frequent high	Constant high	
	1	stress 2	stress 3	stress 4	Stress 5	stress 7	
12.Present	NONE	Occasional fast	Frequent fast	Occasional	Exertional	Frequent	
CVD		pulse and/or	pulse and/or	angina	angina	angina(exertional	
symptoms	0	irregular rhythm 2	irregular beat 4	6	8	and resting) 10	
		-	•			_	
13.past	Completely	CVD symptoms, no MD	Mild CVD, MD confirmed, on	Moderate CVD, occasional	Severe CVD, frequent	Hospitalized	
personal	benign	confirmed	BP meds	symptoms	symptoms	for CVD	
CVD history	0	2	4	6	8	10	
14. Diabetes	No symptoms,	Latent positive	Elevated blood	Mild dietary	Moderate oral	Severe insulin	
	neg fam history	fam history	glucose	control	med control	control	
	0	1	3	5	7	9	
15.Gout	No symptoms or family history	Family history	Elevated uric acid .8mg/dl no	New onset gout medication	Repeated chronic gouty	Gout with renal and bone	
	or family history	1	symptoms 2	controlled 3	attacks 5	complications 8	

If you score:

6-14 = risk well below average

15-19 = risk below average

20-25 = risk generally average

26-32 risk moderate

33-40 risk, needs medical clearance

41-55 risk very dangerous, you must reduce your score immediately

56+ EXTREME RISK, UREGENT MEDICAL TREATMENT RECOMMENDED

Height	Men	Women	Height	Men	Women
5'0"		96-125	5'8"	132-166	122-154
5′1″	-	99-128	5'9"	136-170	126-158
5'2"	112-141	102-131	5'10"	140-174	130-163
5'3″	115-144	105-134	5'11"	144-179	134-168
5'4"	118-148	108-136	6'0"	148-184	138-173
5′5″	121-152	111-142	6'1"	152-189	
5'6"	124-156	114-146	6'2"	156-194	
5'7"	128-161	118-150	6'3"	160-199	
			6'4"	164-204	