



DOCTOR SUPERVISED
CHIROTHIN
WEIGHT LOSS PROGRAM

Micro-fasting Health Benefits Research

White Paper

1. Intermittent Fasting Changes The Function of Cells, Genes and Hormones

When you don't eat for a while, several things happen in your body.

For example, your body initiates important cellular repair processes and changes hormone levels to make stored body fat more accessible.

Here are some of the changes that occur in your body during fasting:

- **Insulin levels:** Blood levels of insulin drop significantly, which facilitates fat burning (1).
- **Human growth hormone:** The blood levels of growth hormone may increase as much as 5-fold (2, 3). Higher levels of this hormone facilitate fat burning and muscle gain, and have numerous other benefits (4, 5).
- **Cellular repair:** The body induces important cellular repair processes, such as removing waste material from cells (6).
- **Gene expression:** There are beneficial changes in several genes and molecules related to longevity and protection against disease (7, 8).

Many of the benefits of intermittent fasting are related to these changes in hormones, gene expression and function of cells.

2. Intermittent Fasting Can Help You Lose Weight and Belly Fat

Many of those who try intermittent fasting are doing it in order to lose weight (9).

Generally speaking, intermittent fasting will make you eat fewer meals.

Unless if you compensate by eating much more during the other meals, you will end up taking in fewer calories.

Additionally, intermittent fasting enhances hormone function to facilitate weight loss.

Lower insulin levels, higher growth hormone levels and increased amounts of norepinephrine (noradrenaline) all increase the breakdown of body fat and facilitate its use for energy.

For this reason, short-term fasting actually **increases** your metabolic rate by 3.6-14%, helping you burn even more calories (10, 11).

In other words, intermittent fasting works on both sides of the calorie equation. It boosts your metabolic rate (increases calories out) and reduces the amount of food you eat (reduces calories in).

According to a 2014 review of the scientific literature, intermittent fasting can cause weight loss of 3-8% over 3-24 weeks (12). This is a huge amount.

The people also lost 4-7% of their waist circumference, which indicates that they lost lots of belly fat, the harmful fat in the abdominal cavity that causes disease.

One review study also showed that intermittent fasting caused less muscle loss than continuous calorie restriction (13).

3. Intermittent Fasting Can Reduce Insulin Resistance, Lowering Your Risk of Type 2 Diabetes

Type 2 diabetes has become incredibly common in recent decades.

Its main feature is high blood sugar levels in the context of insulin resistance.

Anything that reduces insulin resistance should help lower blood sugar levels and protect against type 2 diabetes.

Interestingly, intermittent fasting has been shown to have major benefits for insulin resistance and lead to an impressive reduction in blood sugar levels (12).

In human studies on intermittent fasting, fasting blood sugar has been reduced by 3-6%, while fasting insulin has been reduced by 20-31% (12).

One study in diabetic rats also showed that intermittent fasting protected against kidney damage, one of the most severe complications of diabetes (13).

What this implies, is that intermittent fasting may be highly protective for people who are at risk of developing type 2 diabetes.

4. Intermittent Fasting Can Reduce Oxidative Stress and Inflammation in The Body

Oxidative stress is one of the steps towards aging and many chronic diseases (14).

It involves unstable molecules called free radicals, which react with other important molecules (like protein and DNA) and damage them (15).

Several studies show that intermittent fasting may enhance the body's resistance to oxidative stress (16, 17).

Additionally, studies show that intermittent fasting can help fight inflammation, another key driver of all sorts of common diseases (17, 18, 19).

5. Intermittent Fasting May be Beneficial For Heart Health

Heart disease is currently the world's biggest killer (20).

It is known that various health markers (so-called "risk factors") are associated with either an increased or decreased risk of heart disease.

Intermittent fasting has been shown to improve numerous different risk factors, including blood pressure, total and LDL cholesterol, blood triglycerides, inflammatory markers and blood sugar levels (12, 21, 22, 23)

However, a lot of this is based on animal studies. The effects on heart health need to be studied a lot further in humans before recommendations can be made.

6. Intermittent Fasting Induces Various Cellular Repair Processes

When we fast, the cells in the body initiate a cellular "waste removal" process called autophagy (7, 24).

This involves the cells breaking down and metabolizing broken and dysfunctional proteins that build up inside cells over time.

Increased autophagy may provide protection against several diseases, including cancer and Alzheimer's disease (25, 26).

7. Intermittent Fasting May Help Prevent Cancer

Cancer is a terrible disease, characterized by uncontrolled growth of cells.

Fasting has been shown to have several beneficial effects on metabolism that may lead to reduced risk of cancer.

Although human studies are needed, promising evidence from animal studies indicates that intermittent fasting may help prevent cancer (27, 28, 29, 30).

There is also some evidence on human cancer patients, showing that fasting reduced various side effects of chemotherapy (31).

8. Intermittent Fasting is Good For Your Brain

What is good for the body is often good for the brain as well.

Intermittent fasting improves various metabolic features known to be important for brain health.

This includes reduced oxidative stress, reduced inflammation and a reduction in blood sugar levels and insulin resistance.

Several studies in rats have shown that intermittent fasting may increase the growth of new nerve cells, which should have benefits for brain function (32, 33).

It also increases levels of a brain hormone called brain-derived neurotrophic factor (BDNF) (32, 34, 35), a deficiency of which has been implicated in depression and various other brain problems (36).

Animal studies have also shown that intermittent fasting protects against brain damage due to strokes (37).

9. Intermittent Fasting May Help Prevent Alzheimer's Disease

Alzheimer's disease is the world's most common neurodegenerative disease.

There is no cure available for Alzheimer's, so preventing it from showing up in the first place is critical.

A study in rats shows that intermittent fasting may delay the onset of Alzheimer's disease or reduce its severity (38).

In a series of case reports, a lifestyle intervention that included daily short-term fasts was able to significantly improve Alzheimer's symptoms in 9 out of 10 patients (39).

Animal studies also suggest that fasting may protect against other neurodegenerative diseases, including Parkinson's and Huntington's disease (40, 41).

10. Intermittent Fasting May Extend Your Lifespan, Helping You Live Longer

One of the most exciting applications of intermittent fasting may be its ability to extend lifespan.

Studies in rats have shown that intermittent fasting extends lifespan in a similar way as continuous calorie restriction (42, 43).

In some of these studies, the effects were quite dramatic. In one of them, rats that fasted every other day lived 83% longer than rats who weren't fasted (44).

Although this is far from being proven in humans, intermittent fasting has become very popular among the anti-aging crowd.

Given the known benefits for metabolism and all sorts of health markers, it makes sense that intermittent fasting could help you live a longer and healthier life.

References:

1. Am J Clin Nutr. 2005 Jan;81(1):69-73. Alternate-day fasting in nonobese subjects: effects on body weight, body composition, and energy metabolism. Heilbronn LK¹, Smith SR, Martin CK, Anton SD, Ravussin E.
2. J Clin Invest. 1988 Apr; 81(4): 968–975. Fasting enhances growth hormone secretion and amplifies the complex rhythms of growth hormone secretion in man. K Y Ho, J D Veldhuis, M L Johnson, R Furlanetto, W S Evans, K G Alberti, and M O Thorner
3. J Clin Endocrinol Metab. 1992 Apr;74(4):757-65. Augmented growth hormone (GH) secretory burst frequency and amplitude mediate enhanced GH secretion during a two-day fast in normal men. Hartman ML¹, Veldhuis JD, Johnson ML, Lee MM, Alberti KG, Samoilik E, Thorner MO.
4. JAMA. 2002 Nov 13;288(18):2282-92. Growth hormone and sex steroid administration in healthy aged women and men: a randomized controlled trial. Blackman MR¹, Sorkin JD, Münzer T, Bellantoni MF, Busby-Whitehead J, Stevens TE, Jayme J, O'Connor KG, Christmas C, Tobin JD, Stewart KJ, Cottrell E, St Clair C, Pabst KM, Harman SM.
5. N Engl J Med. 1990 Jul 5;323(1):1-6. Effects of human growth hormone in men over 60 years old. Rudman D¹, Feller AG, Nagraj HS, Gergans GA, Lalitha PY, Goldberg AF, Schlenker RA, Cohn L, Rudman IW, Mattson DE.
6. Autophagy. 2010 Aug 16; 6(6): 702–710. NIHMSID: NIHMS298250 Short-term fasting induces profound neuronal autophagy Mehrdad Alirezaei,^{#1} Christopher C. Kemball,^{#1} Claudia T. Flynn,¹ Malcolm R. Wood,² J. Lindsay Whitton,^{3,4} and William B. Kiosses²
7. Curr Opin Oncol. 2013 Nov;25(6):630-6. doi: 10.1097/CO.0000432527.49984.a3. Metabolic regulation of Sirtuins upon fasting and the implication for cancer. Zhu Y¹, Yan Y, Gius DR, Vassilopoulos A.
8. Ageing Res Rev. Author manuscript; available in PMC 2009 Jan 13. Published in final edited form as: Ageing Res Rev. 2006 Aug; 5(3): 332–353. Published online 2006 Aug 8. doi: 10.1016/j.arr.2006.04.002 Caloric restriction and intermittent fasting: Two potential diets for successful brain aging Bronwen Martin,^{a,*} Mark P. Mattson,^{a,b} and Stuart Maudsley^{a,c}
9. Int J Obes (Lond). 2015 May;39(5):727-33. doi: 10.1038/ijo.2014.214. Epub 2014 Dec 26. Fasting for weight loss: an effective strategy or latest dieting trend?
10. Am J Physiol. 1990 Jan;258(1 Pt 2):R87-93. Enhanced thermogenic response to epinephrine after 48-h starvation in humans. Mansell PI¹, Fellows IW, Macdonald IA.
11. Am J Clin Nutr. 2000 Jun;71(6):1511-5. Resting energy expenditure in short-term starvation is increased as a result of an increase in serum norepinephrine. Zauner C¹, Schneeweiss B, Kranz A, Madl C, Ratheiser K, Kramer L, Roth E, Schneider B, Lenz K.
12. Intermittent fasting vs daily calorie restriction for type 2 diabetes prevention: a review of human findings Adrienne R. Barnosky^a, Kristin K. Hoddy^b, Terry G. Unterman^a, Krista A. Varady^{b,c}. ^a Division of Endocrinology, Department of Medicine, University of Illinois at Chicago, Chicago, Ill. ^b Department of Kinesiology and Nutrition, University of Illinois at Chicago, Chicago, Ill.
13. Obes Rev. 2011 Jul;12(7):e593-601. doi: 10.1111/j.1467-789X.2011.00873.x. Epub 2011 Mar 17. Intermittent versus daily calorie restriction: which diet regimen is more effective for weight loss? Varady KA¹
14. Mutagenesis. 2004 May;19(3):169-85. Endogenous DNA damage in humans: a review of quantitative data. De Bont R¹, van Larebeke N.
15. BioMed Research International Volume 2014 (2014), Article ID 761264, 19 pages <http://dx.doi.org/10.1155/2014/761264> Review Article Oxidative Stress, Prooxidants, and Antioxidants: The Interplay
16. The Journal of Nutritional Biochemistry Volume 16, Issue 3, March 2005, Pages 129–137
17. Free Radic Biol Med. 2007 Mar 1;42(5):665-74. Epub 2006 Dec 14. Alternate day calorie restriction improves clinical findings and reduces markers of oxidative stress and inflammation in overweight adults with moderate asthma. Johnson JB¹, Summer W, Cutler RG, Martin B, Hyun DH, Dixit VD, Pearson M, Nassar M, Telljohann R, Maudsley S, Carlson O, John S, Laub DR, Mattson MP.
18. Ann Nutr Metab. 2007;51(1):88-95. Epub 2007 Mar 19. Interleukin-6, C-reactive protein and biochemical parameters during prolonged intermittent fasting. Aksungar FB¹, Topkaya AE, Akyildiz M.

19. Nutr Res. 2012 Dec;32(12):947-55. doi: 10.1016/j.nutres.2012.06.021. Epub 2012 Oct 4. Intermittent fasting during Ramadan attenuates inflammatory cytokines and immune cells in healthy subjects. Faris MA¹, Kacimi S, Al-Kurd RA, Fararjeh MA, Bustanji YK, Mohammad MK, Salem ML.
20. <https://www.cdc.gov/nchs/fastats/leading-causes-of-death.htm>
21. Am J Clin Nutr. 2009 Nov;90(5):1138-43. doi: 10.3945/ajcn.2009.28380. Epub 2009 Sep 30. Short-term modified alternate-day fasting: a novel dietary strategy for weight loss and cardioprotection in obese adults. Varady KA¹, Bhutani S, Church EC, Klempel MC.
22. Revista da Associação Médica Brasileira Volume 59, Issue 2, March–April 2013, Pages 167–173 Effects of intermittent fasting on metabolism in men
23. The Effects of Intermittent Energy Restriction on Indices of Cardiometabolic Health Research in Endocrinology
24. Am J Physiol Cell Physiol. 2011 Feb;300(2):C308-17. doi: 10.1152/ajpcell.00056.2010. Epub 2010 Nov 24. Mitochondrial degradation by autophagy (mitophagy) in GFP-LC3 transgenic hepatocytes during nutrient deprivation. Kim I¹, Lemasters JJ.
25. Cell. 2009 Jun 12;137(6):1062-75. doi: 10.1016/j.cell.2009.03.048. Autophagy suppresses tumorigenesis through elimination of p62. Mathew R¹, Karp CM, Beaudoin B, Vuong N, Chen G, Chen HY, Bray K, Reddy A, Bhanot G, Gelinas C, Dipaola RS, Karantza-Wadsworth V, White E.
26. Eur J Neurosci. 2013 Jun;37(12):1949-61. doi: 10.1111/ejn.12169. Autophagy failure in Alzheimer's disease and the role of defective lysosomal acidification. Wolfe DM¹, Lee JH, Kumar A, Lee S, Orenstein SJ, Nixon RA.
27. Cancer Invest. 1988;6(6):677-80. Effects of short-term dietary restriction on survival of mammary ascites tumor-bearing rats. Siegel I¹, Liu TL, Nepomuceno N, Gleicher N.
28. Sci Transl Med. 2012 Mar 7;4(124):124ra27. doi: 10.1126/scitranslmed.3003293. Epub 2012 Feb 8. Fasting cycles retard growth of tumors and sensitize a range of cancer cell types to chemotherapy. Lee C¹, Raffaghello L, Brandhorst S, Safdie FM, Bianchi G, Martin-Montalvo A, Pistoia V, Wei M, Hwang S, Merlino A, Emionite L, de Cabo R, Longo VD.
29. Mech Ageing Dev. 2005 Nov;126(11):1185-91. Mitochondrial production of reactive oxygen species and incidence of age-associated lymphoma in OF1 mice: effect of alternate-day fasting. Descamps O¹, Riondel J, Ducros V, Roussel AM.
30. Teratog Carcinog Mutagen. 2002;22(2):129-38. Effects of fasting and intermittent fasting on rat hepatocarcinogenesis induced by diethylnitrosamine. Rocha NS¹, Barbisan LF, de Oliveira ML, de Camargo JL.
31. Aging (Albany NY). 2009 Dec 31;1(12):988-1007. Fasting and cancer treatment in humans: A case series report. Safdie FM¹, Dorff T, Quinn D, Fontana L, Wei M, Lee C, Cohen P, Longo VD.
32. J Mol Neurosci. 2000 Oct;15(2):99-108. Dietary restriction increases the number of newly generated neural cells, and induces BDNF expression, in the dentate gyrus of rats. Lee J¹, Duan W, Long JM, Ingram DK, Mattson MP.
33. Dietary restriction enhances neurotrophin expression and neurogenesis in the hippocampus of adult mice Authors Jaewon Lee, Kim B. Seroogy, Mark P. Mattson
34. Annu Rev Nutr. 2005;25:237-60. Energy intake, meal frequency, and health: a neurobiological perspective. Mattson MP¹.
35. Proc Natl Acad Sci U S A. 2003 Mar 4; 100(5): 2911–2916. Published online 2003 Feb 4. Neuroscience Dietary restriction normalizes glucose metabolism and BDNF levels, slows disease progression, and increases survival in huntingtin mutant mice Wenzhen Duan,* Zhihong Guo,* Haiyang Jiang,* Melvin Ware,† Xiao-Jiang Li,‡ and Mark P. Mattson
36. Psychiatry Investig. 2010 Dec; 7(4): 231–235. The Roles of BDNF in the Pathophysiology of Major Depression and in Antidepressant Treatment Bun-Hee Lee and Yong-Ku Kim✉
37. Ann Neurol. Author manuscript; available in PMC 2011 Jan 1 Age and Energy Intake Interact to Modify Cell Stress Pathways and Stroke Outcome Thiruma V. Arumugam, PhD,^{1,2,*} Terry M. Phillips, DSc,^{3,*} Aiwu Cheng, PhD,¹ Christopher H. Morrell, PhD,⁴ Mark P. Mattson, PhD,^{1,5,+} and Ruiqian Wan, PhD^{1,*}
38. Neurobiol Dis. 2007 Apr;26(1):212-20. Epub 2007 Jan 13. Intermittent fasting and caloric restriction ameliorate age-related behavioral deficits in the triple-transgenic mouse model of

- Alzheimer's disease. Halagappa VK¹, Guo Z, Pearson M, Matsuoka Y, Cutler RG, Laferla FM, Mattson MP.
- 39. J of Aging 2014 Sept 27. Reversal of cognitive decline: A novel therapeutic approach. Mary S. Easton Center for Alzheimer's Disease Research.
 - 40. Ageing Res Rev. 2006 Aug; 5(3): 332–353. Caloric restriction and intermittent fasting: Two potential diets for successful brain aging Bronwen Martin,^{a,*} Mark P. Mattson,^{a,b} and Stuart Maudsley^{a,c}
 - 41. J Neurosci Res. 1999 Jul 15;57(2):195-206. Dietary restriction and 2-deoxyglucose administration improve behavioral outcome and reduce degeneration of dopaminergic neurons in models of Parkinson's disease. Duan W¹, Mattson MP.
 - 42. J of Gerontology Differential Effects of Intermittent Feeding and Voluntary Exercise on Body Weight and Lifespan in Adult Rats1 Charles L. Goodrick, PhD Donald K. Ingram, PhD Mark A. Reynolds, MA John R. Freeman, BS Nancy L. Cider, BS
 - 43. Mechanisms of Ageing and Development Volume 115, Issues 1–2, 17 May 2000, Pages 61–71 Influence of short-term repeated fasting on the longevity of female (NZB×NZW)F1 mice Hiroshi Sogawa¹, Chiharu Kubo
 - 44. Gerontology Effects of Intermittant Feeding Upon Growth and Life Span in Rats. Goodrick, C.L., Ingram D.K., Reynolds M.A., Cider N.L.